Journal of MOLECULAR BIOLOGY

Editor in Chief
S. BRENNER

Editors

P. Chambon
M. Gottesman
R. Huber
A. Klug
B. Mach
K. Matsubara
P. von Hippel

Associate Editors

C. R. Cantor
N.-H. Chuah
D. J. De Rosier
A. R. Fersht
W. A. Hendrickson
I. B. Holland
J. Karn
R. Laskey
V. Luzzati
J. H. Miller
M. F. Moody
T. Richmond
R. Schleif
N. L. Sternberg

Volume 201
5 May to 20 June 1988

ACADEMIC PRESS
(Harcourt Brace Jovanovich, Publishers)
London Orlando San Diego New York
Toronto Montreal Sydney Tokyo

Copyright © 1988, by Academic Press Ltd.

ALL RIGHTS RESERVED

No part of this volume may be reproduced in any form, by photostat, microfilm, or any other means, without written permission from the publishers.

Printed in Great Britain

Contents of Volume 201

Number 1, 5 May 1988

Barker, R. F., Harberd, N. P., Jarvis, M. G. and Flavell, R. B., Structure and Evolution of the Intergenic Region in a Ribosomal DNA Repeat Unit of Wheat . . 1

Dickie, P., Morgan, A. R. and McFadden, G., Conformational Isomerization of the Holliday Junction Associated with a Cruciform During Branch Migration in Supercoiled Plasmid DNA 19

Dreher, T. W. and Hall, T. C., Mutational Analysis of the Sequence and Structural Requirements in Brome Mosaic Virus RNA for Minus Strand Promoter Activity. . 31

Dreher, T. W. and Hall, T. C., Mutational Analysis of the tRNA Mimicry of Brome Mosaic Virus RNA. Sequence and Structural Requirements for Aminoacylation and 3′-Adenylation 41

Harris, M. P. G. and Hay, R. T., DNA Sequences Required for the Initiation of Adenovirus Type 4 DNA Replication *in Vitro* 57

Evans, D. H. and Kolodner, R., Effect of DNA Structure and Nucleotide Sequence on Holliday Junction Resolution by a *Saccharomyces cerevisiae* Endonuclease . . . 69

Schaffner, G., Schirm, S., Müller-Baden, B., Weber, F. and Schaffner, W., Redundancy of Information in Enhancers as a Principle of Mammalian Transcription Control. . 81

Donate, L. E., Herranz, L., Secilla, J. P., Carazo, J. M., Fujisawa, H. and Carrascosa, J. L., Bacteriophage T3 Connector: Three-dimensional Structure and Comparison with Other Viral Head–Tail Connecting Regions 91

Thresher, R. J., Christiansen, G. and Griffith, J. D., Assembly of Presynaptic Filaments. Factors Affecting the Assembly of RecA Protein onto Single-stranded DNA . . 101

Heumann, H., Lederer, H., Baer, G., May, R. P., Kjems, J. K. and Crespi, H. L., Spatial Arrangement of DNA-dependent RNA Polymerase of *Escherichia coli* and DNA in the Specific Complex. A Neutron Small Angle Scattering Study . . . 115

Calladine, C. R., Drew, H. R. and McCall, M. J., The Intrinsic Curvature of DNA in Solution. 127

Warshel, A., Sussman, F. and Hwang, J.-K., Evaluation of Catalytic Free Energies in Genetically Modified Proteins 139

Dyson, H. J., Rance, M., Houghten, R. A., Lerner, R. A. and Wright, P. E., Folding of Immunogenic Peptide Fragments of Proteins in Water Solution. I. Sequence Requirements for the Formation of a Reverse Turn 161

Dyson, H. J., Rance, M., Houghten, R. A., Wright, P. E. and Lerner, R. A., Folding of Immunogenic Peptide Fragments of Proteins in Water Solution. II. The Nascent Helix 201

Voss, T., Eistetter, H., Schäfer, K. P. and Engel, J., Macromolecular Organization of Natural and Recombinant Lung Surfactant Protein SP 28-36. Structural Homology with the Complement Factor C1q 219

Letters to the Editor

Franco, R. J. and Drlica, K., DNA Gyrase on the Bacterial Chromosome. Oxolinic Acid-induced DNA Cleavage in the *dnaA–gyrB* Region 229

Ruff, M., Cavarelli, J., Mikol, V., Lorber, B., Mitschler, A., Giege, R., Thierry, J. C. and Moras, D., A High Resolution Diffracting Crystal Form of the Complex Between Yeast $tRNA^{Asp}$ and Aspartyl-tRNA Synthetase. 235

Morikawa, K., Tsujimoto, M., Higashi, T., Matsumoto, O., Miura, K., Ohtsuka, E., Noguchi, S. and Nishimura, S., Crystallization and Preliminary Crystallographic Data of a Truncated Derivative from the Human c-Ha-*ras* Protein 237

Number 2, 20 May 1988

Hayes, R. C., Petrullo, L. A., Huang, H., Wallace, S. S. and LeClerc, J. E., Oxidative Damage in DNA. Lack of Mutagenicity by Thymine Glycol Lesions 239

Ray, A., Siddiqi, I., Kolodkin, A. L. and Stahl, F. W., Intra-chromosomal Gene Conversion Induced by a DNA Double-strand Break in *Saccharomyces cerevisiae* . . 247

Takano, K., Nakabeppu, Y. and Sekiguchi, M., Functional Sites of the Ada Regulatory Protein of *Escherichia coli*. Analysis by Amino Acid Substitutions 261

Martin, C. H., Mayeda, C. A. and Meyerowitz, E. M., Evolution and Expression of the *Sgs-3* Glue Gene of *Drosophila* 273

Maden, B. E. H., Locations of Methyl Groups in 28 S rRNA of *Xenopus laevis* and Man. Clustering in the Conserved Core of Molecule 289

Gibson, W. C., Swinkels, B. W. and Borst, P., Post-transcriptional Control of the Differential Expression of Phosphoglycerate Kinase Genes in *Trypanosoma brucei* . 315

Miki, T., Orita, T., Furuno, M. and Horiuchi, T., Control of Cell Division by Sex Factor F in *Escherichia coli*. III. Participation of the *groES* (*mopB*)-Gene of the Host Bacteria 327

Ross, P. M. and Yu, H.-S., Interstrand Crosslinks due to 4,5′,8-Trimethylpsoralen and Near Ultraviolet Light in Specific Sequences of Animal DNA. Effect of Constitutive Chromatin Structure and of Induced Transcription 339

Montelius, I., Liljas, L. and Unge, T., Structure of EDTA-treated Satellite Tobacco Necrosis Virus at pH 6·5 353

Imberty, A., Chanzy, H., Pérez, S., Buléon, A. and Tran, V., The Double-helical Nature of the Crystalline Part of A-Starch 365

Gahlmann, R., Wade, R., Gunning, P. and Kedes, L., Differential Expression of Slow and Fast Skeletal Muscle Troponin C. Slow Skeletal Muscle Troponin C is Expressed in Human Fibroblasts 379

Carazo, J. M., Wagenknecht, T., Radermacher, M., Mandiyan, V., Boublik, M. and Frank, J., Three-dimensional Structure of 50 S *Escherichia coli* Ribosomal Subunits Depleted of Proteins L7/L12 393

Senecoff, J. F., Rossmeissl, P. J. and Cox, M. M., DNA Recognition by the FLP Recombinase of the Yeast 2 μ Plasmid. A Mutational Analysis of the FLP Binding Site 405

Takahashi, L. H., Radhakrishnan, R., Rosenfeld, R. E., Jr, Meyer, E. F., Jr, Trainor, D. A. and Stein, M., X-ray Diffraction Analysis of the Inhibition of Porcine Pancreatic Elastase by a Peptidyl Trifluoromethylketone 423

Gulik, A., Luzzati, V., DeRosa, M. and Gambacorta, A., Tetraether Lipid Components from a Thermoacidophilic Archaebacterium. Chemical Structure and Physical Polymorphism 429

Murray, V. and Martin, R. F., Sequence Specificity of ^{125}I-labelled Hoechst 33258 in Intact Human Cells 437

Letters to the Editor

Fukamizu, A., Nishi, K., Cho, T., Saitoh, M., Nakayama, K., Ohkubo, H., Nakanishi, S. and Murakami, K., Structure of the Rat Renin Gene . . . 443

Toth, M. J., Murgola, E. J. and Schimmel, P., Evidence for a Unique First Position Codon–Anticodon Mismatch *in Vivo* 451

Hakoshima, T. and Tomita, K., Crystallization and Preliminary X-ray Investigation Reveals that Tumor Necrosis Factor is a Compact Trimer Furnished with 3-Fold Symmetry 455

Perutz, M. F., Fermi, G., Fogg, J. and Rahbar, S., Indirect Allosteric Effects of a Neutral Mutation. Structure of Deoxyhaemoglobin North Chicago (ProC2(36)β→Ser) 459

Thomas, T. J. and Messner, R. P., Structural Specificity of Polyamines in Left-handed *Z*-DNA Formation. Immunological and Spectroscopic Studies . . . 463

Erratum 469

Number 3, 5 June 1988

Hampsey, D. M., Ernst, J. F., Stewart, J. W. and Sherman, F., Multiple Base-pair Mutations in Yeast 471

Charbit, A., Gehring, K., Nikaido, H., Ferenci, T. and Hofnung, M., Maltose Transport and Starch Binding in Phage-Resistant Point Mutants of Maltoporin. Functional and Topological Implications 487

Appendix: Ferenci, T., Saurin, W. and Hofnung, M., Folding of Maltoporin with Respect to the Outer Membrane 493

Dargent, B., Charbit, A., Hofnung, M. and Pattus, F., Effect of Point Mutations on the *in-Vitro* Pore Properties of Maltoporin, a Protein of *Escherichia coli* Outer Membrane. 497

Clayton, L., Reinach, F. C., Chumbley, G. M. and MacLeod, A. R., Organization of the hTM_{nm} Gene. Implications for the Evolution of Muscle and Non-muscle Tropomyosins 507

McPheeters, D. S., Stormo, G. D. and Gold, L., Autogenous Regulatory Site on the Bacteriophage T4 Gene *32* Messenger RNA 517

Klein-Hitpaß, L., Kaling, M. and Ryffel, G. U., Synergism of Closely Adjacent Estrogen-responsive Elements Increases Their Regulatory Potential 537

Roberge, M., Dahmus, M. E. and Bradbury, E. M., Chromosomal Loop/Nuclear Matrix Organization of Transcriptionally Active and Inactive RNA Polymerases in HeLa Nuclei 545

Beinbrech, G., Ashton, F. T. and Pepe, F. A., Invertebrate Myosin Filament: Subfilament Arrangement in the Wall of Tubular Filaments of Insect Flight Muscles . 557

Goldanskii, V. I., Kashirin, I. A., Shishkov, A. V., Baratova, L. A. and Grebenshchikov, N. I., The Use of Thermally Activated Tritium Atoms for Structural–Biological Investigations: The Topography of the TMV Protein-accessible Surface of the Virus 567

Cai, W., Person, S., DebRoy, C. and Gu, B., Functional Regions and Structural Features of the gB Glycoprotein of Herpes Simplex Virus Type 1. An Analysis of Linker Insertion Mutants 575

New, J. H., Eggleston, A. K. and Fennewald, M., Binding of the Tn*3* Transposase to the Inverted Repeats of Tn*3* 589

Barlow, D. J. and Thornton, J. M., Helix Geometry in Proteins 601

Roseman, M. A., Hydrophobicity of the Peptide C=O · · · H–N Hydrogen-bonded Group 621

Pardi, A., Hare, D. R., Selsted, M. E., Morrison, R. D., Bassolino, D. A. and Bach, II, A. C., Solution Structures of the Rabbit Neutrophil Defensin NP–5 625

Arseniev, A., Schultze, P., Wörgötter, E., Braun, W., Wagner, G., Vašák, M., Kägi, J. H. R. and Wüthrich, K., Three-dimensional Structure of Rabbit Liver [Cd_7]Metallothionein-2a in Aqueous Solution Determined by Nuclear Magnetic Resonance 637

Appendix 654

Letters to the Editor

Perry, A. L. and Palmer, R. A., Crystallization of Mouse Pancreatic Ribonuclease . 659

Basu, D., Delucas, L., Parks, E. H. and Suddath, F. L., Preliminary Crystallographic Study of the α-D-Galactose-specific Lectin from Jack Fruit (*Artocarpus integra*) Seeds 661

Number 4, 20 June 1988

Liljeström, P., Laamanen, I. and Palva, E. T., Structure and Expression of the *ompB* Operon, the Regulatory Locus for the Outer Membrane Porin Regulon in *Salmonella typhimurium* LT-2. 663

Rickard, J. E. and Sheterline, P., Effect of ATP Removal and Inorganic Phosphate on Length Redistribution of Sheared Actin Filament Populations. Evidence for a Mechanism of End-to-End Annealing 675

Stern, S., Powers, T., Changchien, L.-M. and Noller, H. F., Interaction of Ribosomal Proteins S5, S6, S11, S12, S18 and S21 with 16 S rRNA 683

Powers, T., Stern, S., Changchien, L.-M. and Noller, H. F., Probing the Assembly of the 3′ Major Domain of 16 S rRNA. Interactions Involving Ribosomal Proteins S2, S3, S10, S13 and S14 697

Nerdal, W., Hare, D. R. and Reid, B. R., Three-dimensional Structure of the *wild-type lac* Pribnow Promoter DNA in Solution. Two-dimensional Nuclear Magnetic Resonance Studies and Distance Geometry Calculations 717

Appendix: 737

Schoenborn, B. P., Solvent Effect in Protein Crystals. A Neutron Diffraction Analysis of Solvent and Ion Density 741

Levitt, M. and Perutz, M. F., Aromatic Rings Act as Hydrogen Bond Acceptors . . 751

Louie, G., Tran, T., Englander, J. J. and Englander, S. W., Allosteric Energy at the Hemoglobin Beta Chain C Terminus Studied by Hydrogen Exchange 755

Louie, G., Englander, J. J. and Englander, S. W., Salt, Phosphate and the Bohr Effect at the Hemoglobin Beta Chain C Terminus Studied by Hydrogen Exchange . . . 765

Letter to the Editor

Vogt, N., Marrot, L., Rousseau, N., Malfoy, B. and Leng, M., Chloroacetaldehyde Reacts with *Z*-DNA 773

Index to Volume 201

Actin filaments, sheared, effect of ATP removal and inorganic phosphate on length redistribution; evidence for a mechanism of end-to-end annealing, 675
Ada regulatory protein of *Escherichia coli*; analysis of functional sites by amino acid substitutions, 261
Adenovirus type 4 DNA replication, DNA sequences required for initiation *in vitro*, 57
Allosteric effects, indirect, of a neutral mutation. Structure of deoxyhaemoglobin North Chicago (ProC2(36)β→Ser), 459
Allosteric energy at the hemoglobin beta chain C terminus studied by hydrogen exchange, 755
Amino acid substitution analysis of the functional sites of the Ada regulatory protein, 261
Aminoacylation and 3′-adenylation, sequence and structural requirements; mutational analysis of the tRNA mimicry of brome mosaic virus RNA, 41
Archaebacterium, thermoacidophilic; chemical structure and physical polymorphism of tetraether lipid components, 429
Aromatic rings act as hydrogen bond acceptors, 751
Arseniev, A., Schultze, P., Wörgotter, E., Braun, W., Wagner, G., Vašák, M., Kägi, J. H. R. & Wüthrich, K., Three-dimensional structure of rabbit liver [Cd_7] metallothionein-2a in aqueous solution determined by nuclear magnetic resonance, 637
Artocarpus integra seeds, preliminary crystallographic study of the α-D-galactose-specific lectin, 661
Ashton, F. T. (see also Beinbrech, G.), 557
Assembly of presynaptic filaments. Factors affecting the assembly of RecA protein onto single-stranded DNA, 101
Assembly of the 3′ major domain of 16 S rRNA; interactions involving proteins S2, S3, S10, S13 and S14, 697
ATP removal and inorganic phosphate, effect on length redistribution of sheared actin filament populations; evidence for a mechanism of end-to-end annealing, 675
Autogenous regulatory site on the bacteriophage T4 gene *32* mRNA, 517

Bach, II, A. C. (see also Pardi, A.), 625
Bacterial chromosome, DNA gyrase; oxolinic acid-induced DNA cleavage in the *dnaA–gyrB* region, 229
Bacteriophage T3 connector: three-dimensional structure and comparison with other viral head–tail connecting regions, 91
Bacteriophage T4 gene *32* mRNA, autogenous regulatory site, 517
Baer, G. (see also Heumann, H.), 115
Baratova, L. A. (see also Goldanskii, V. I.), 567
Barker, R. F., Harberd, N. P., Jarvis, M. G. & Flavell, R. B., Structure and evolution of the intergenic region in a ribosomal DNA repeat unit of wheat, 1
Barlow, D. J. & Thornton, J. M., Helix geometry in proteins, 601
Bassolino, D. A. (see also Pardi, A.), 625
Basu, D., Delucas, L., Parks, E. H. & Suddath, F. L., Preliminary crystallographic study of the α-D-galactose-specific lectin from jack fruit (*Artocarpus integra*) seeds, 661
Beinbrech, G., Ashton, F. T. & Pepe, F. A., Invertebrate myosin filament: subfilament arrangement in the wall of tubular filaments of insect flight muscles, 557
Binding of the Tn*3* transposase to the inverted repeats of Tn*3*, 589
Bohr effect at the hemoglobin beta chain C terminus studied by hydrogen exchange, 765
Borst, P. (see also Gibson, W. C.), 315
Boublik, M. (see also Carazo, J. M.), 393
Bradbury, E. M. (see also Roberge, M.), 545
Branch migration in supercoiled plasmid DNA, conformational isomerization of the Holliday junction associated with a cruciform, 19
Braun, W. (see also Arseniev, A.), 637
Brome mosaic virus (see also Virus), 31, 41
Buléon, A. (see also Imberty, A.), 365

[Cd_7] metallothionein-2a, rabbit liver, in aqueous solution, three-dimensional structure determined by n.m.r., 637
Cai, W., Person, S., DeBroy, C. & Gu, B., Functional regions and structural features of the gB glycoprotein of herpes simplex virus type 1. An analysis of linker insertion mutants, 575
Calladine, C. R., Drew, H. R. & McCall, M. J., The intrinsic curvature of DNA in solution, 127
Carazo, J. M., Wagenknecht, T., Radermacher, M., Mandiyan, V., Boublik, M. & Frank, J., Three-dimensional structure of 50 S *Escherichia coli* ribosomal subunits depleted of proteins L7/L12, 393
Carazo, J. M. (see also Donate, L. E.), 91
Carrascosa, J. L. (see also Donate, L. E.), 91
Catalytic free energies in genetically modified proteins, 139
Cavarelli, J. (see also Ruff, M.), 235
Cell division control by sex factor F in *Escherichia coli*; participation of the *groES (mopB)* gene of the host bacteria, 327
Changchien, L.-M. (see also Powers, T.), 697
Changchien, L.-M. (see also Stern, S.), 683
Chanzy, H. (see also Imberty, A.), 365
c-Ha-*ras* protein, human, crystallization and preliminary crystallographic data of a truncated derivative, 237
Charbit, A., Gehring, K., Nikaido, H., Ferenci, T. & Hofnung, M., Maltose transport and starch binding in phage-resistant point mutants of maltoporin. Functional and topological implications, 487
Charbit, A. (see also Dargent, B.), 497
Chloroacetaldehyde reacts with Z-DNA, 773
Cho, T. (see also Fukamizu, A.), 443
Christiansen, G. (see also Thresher, R. J.), 101
Chromatin sites hypersensitive to TMP intercalation, 339
Chromosomal loop/nuclear matrix organization of transcriptionally active and inactive RNA polymerases in HeLa nuclei, 545
Chumbley, G. M. (see also Clayton, L.), 507
Clayton, L., Reinach, F. C., Chumbley, G. M. & MacLeod, A. R., Organization of the hTM_{nm} gene. Implications for the evolution of muscle and non-muscle tropomyosins, 507
C=O . . .H-N hydrogen-bonded group, hydrophobicity, 621
Codon-anticodon mismatch, first position, unique, *in vivo*, 451
Complement factor C1q, structural homology with lung surfactant protein SP 28–36, 219
Connector, bacteriophage T3, three-dimensional structure and comparison with other viral head–tail connecting regions, 91
Cox, M. M. (see also Senecoff, J. F.), 405
Crespi, H. L. (see also Heumann, H.), 115
Crosslinks, interstrand, due to 4,5′,8-trimethylpsoralen and near ultraviolet light in specific sequences of animal DNA. Effect of constitutive chromatin structure and of induced transcription, 339
Cruciform, conformational isomerization of the Holliday junction, during branch migration in supercoiled plasmid DNA, 19
Crystal form of the complex between yeast $tRNA^{Asp}$ and aspartyl-tRNA synthetase, 235
Crystals, protein, solvent effect; a neutron diffraction analysis of solvent and ion density, 741
Crystalline part of A-starch, double-helical nature, 365
Crystallization of mouse pancreatic ribonuclease, 659
Crystallization and preliminary crystallographic data of a truncated derivative from the human c-Ha-*ras* protein, 237
Crystallization and preliminary X-ray study reveals that tumor necrosis factor is a compact trimer with 3-fold symmetry, 455
Crystallographic study, preliminary, of the α-D-galactose-specific lectin from Jack fruit (*Artocarpus integra*) seeds, 661
Curvature, intrinsic, of DNA in solution, 127

Dahmus, M. E. (see also Roberge, M.), 545
Damage, oxidative, in DNA; lack of mutagenicity by thymine glycol lesions, 239
Dargent, B., Charbit, A., Hofnung, M. & Pattus, F., Effect

of point mutations on the *in-vitro* pore properties of maltoporin, a protein of *Escherichia coli* outer membrane, 497
DeBroy, C. (see also Cai, W.), 575
Defensin, neutrophil, rabbit, NP-5, solution structures, 625
DeLucas, L. (see also Basu, D.), 661
Deoxyhaemoglobin North Chicago (ProC2(36)β→Ser) structure, 459
DNA, animal, interstrand crosslinks due to 4,5′,8-trimethylpsoralen and near ultraviolet light in specific sequences; effect of chromatin structure and of induced transcription, 339
DNA double-strand break and induction of intra-chromosomal gene conversion in *Saccharomyces cerevisiae*, 247
DNA gyrase on the bacterial chromosome. Oxolinic acid-induced DNA cleavage in the *dnaA–gyrB* region, 229
DNA, oxidative damage; lack of mutagenicity by thymine glycol lesions, 239
DNA, plasmid, supercoiled, and conformational isomerization of the Holliday junction associated with a cruciform during branch migration, 19
DNA recognition by the FLP recombinase of the yeast 2μ plasmid. Mutational analysis of the FLP binding site, 405
DNA, ribosomal, repeat unit of wheat, structure and evolution of the intergenic region, 1
DNA sequences required for the initiation of adenovirus type 4 DNA replication *in vitro*, 57
DNA, single-stranded, and factors affecting RecA protein assembly, 101
DNA in solution, the intrinsic curvature, 127
DNA structure and nucleotide sequence, effect on Holliday junction resolution by a *Saccharomyces cerevisiae* endonuclease, 69
DNA, *wild-type lac* Pribnow promoter, in solution, three-dimensional structure; two-dimensional n.m.r. studies and distance geometry calculations, 717
dnaA–gyrB region, oxolinic acid-induced DNA cleavage; DNA gyrase on the bacterial chromosome, 229
DNA-dependent RNA polymerase of *Escherichia coli* and DNA, spatial arrangement in the specific complex; a neutron small angle scattering study, 115
Z-DNA formation, left-handed; structural specificity of polyamines; immunological and spectroscopic studies, 463
Z-DNA reaction with chloroacetaldehyde, 773
Derosa, M. (see also Gulik, A.), 429
Dickie, P., Morgan, A. R. & McFadden, G., Conformational isomerization of the Holliday junction associated with a cruciform during branch migration in supercoiled plasmid DNA, 19
Donate, L. E., Herranz, L., Secilla, J. P., Carazo, J. M., Fujisawa, H. & Carrascosa, J. L., Bacteriophage T3 connector: three-dimensional structure and comparison with other viral head-tail connecting regions, 91
Double-helical nature of the crystalline part of A-starch, 365
Double-strand break, and induction of intra-chromosomal gene conversion in *Saccharomyces cerevisiae*, 247
Dreher, T. W. & Hall, T. C., Mutational analysis of the sequence and structural requirements in brome mosaic virus RNA for minus strand promoter activity, 31
Dreher, T. W. & Hall, T. C., Mutational analysis of the tRNA mimicry of brome mosaic virus RNA. Sequence and structural requirements for aminoacylation and 3′-adenylation, 41
Drew, H. R. (see also Calladine, C. R.), 127
Drlica, K. (see also Franco, R. J.), 229
Drosophila, evolution and expression of the *Sgs-3* glue gene, 273
Dyson, H. J., Rance, M., Houghten, R. A., Lerner, R. A. & Wright, P. E., Folding of immunogenic peptide fragments of proteins in water solution. I. Sequence requirements for the formation of a reverse turn, 161
Dyson, H. J., Rance, M., Houghten, R. A., Wright, P. E. & Lerner, R. A., Folding of immunogenic peptide fragments of proteins in water solution. II. The nascent helix, 201

EDTA-treated satellite tobacco necrosis virus, structure at pH 6·5, 353
Eggleston, A. K. (see also New, J. H.), 589
Eistetter, H. (see also Voss, T.), 219
Engel, J. (see also Voss, T.), 219
Englander, J. J. (see also Louie, G.), 755, 765
Englander, S. W. (see also Louie, G.), 755, 765
Enhancers, redundancy of information as a principle of mammalian transcription control, 81
Ernst, J. F. (see also Hampsey, D. M.), 471
Escherichia coli, control of cell division by sex factor F; participation of the *groES (mopB)* gene of the host bacteria, 327
Escherichia coli DNA-dependent RNA polymerase, and DNA, spatial arrangement in the specific complex; a neutron small angle scattering study, 115
Escherichia coli, functional sites of the Ada regulatory protein; analysis by amino acid substitutions, 261
Escherichia coli 50 S ribosomal subunits depleted of proteins L7/L12, three-dimensional structure, 393
Escherichia coli outer membrane protein, maltoporin, effect of point mutations on the *in-vitro* pore properties, 497
Estrogen-responsive elements, closely adjacent, synergism increases their regulatory potential, 537
Evans, D. H. & Kolodner, R., Effect of DNA structure and nucleotide sequence on Holliday junction resolution by a *Saccharomyces cerevisiae* endonuclease, 69
Evolution and expression of the *Sgs-3* glue gene of *Drosophila*, 273
Evolution of the intergenic region in a ribosomal DNA repeat unit of wheat, 1
Evolution of muscle and non-muscle tropomyosins, implications of the organization of hTM_{nm} gene, 507
Expression, differential, of phosphoglycerate kinase genes in *Trypanosoma brucei*; post-transcriptional control, 315
Expression, differential, of slow and fast skeletal muscle troponin C; slow skeletal muscle troponin C is expressed in human fibroblasts, 379
Expression and evolution of the *Sgs-3* glue gene of *Drosophila*, 273
Expression and structure of the *ompB* operon, the regulatory locus for the outer membrane porin regulon in *Salmonella typhimurium* LT-2, 663

Fennewald, M. (see also New, J. H.), 589
Ferenci, T., Saurin, W. & Hofnung, M., Folding of maltoporin with respect to the outer membrane (*Appendix* to Charbit, A., *et al.*, 487), 493
Ferenci, T. (see also Charbit, A.), 487
Fermi, G. (see also Perutz, M. F.), 459
Fibroblasts, human, and expression of slow skeletal muscle troponin C, 379
Filaments, actin, sheared, effect of ATP removal and inorganic phosphate on length redistribution; evidence for a mechanism of end-to-end annealing, 675
Filaments, presynaptic, assembly; factors affecting the assembly of RecA protein onto single-stranded DNA, 101
Filaments, tubular, of insect flight muscles; subfilament arrangement in the wall, 557
Flavell, R. B. (see also Barker, R. F.), 1
FLP recombinase of the yeast 2μ plasmid, and DNA recognition; a mutational analysis of the FLP binding site, 405
Fogg, J. (see also Perutz, M. F.), 459
Folding of immunogenic peptide fragments of proteins in water solution. The nascent helix, 201
Folding of immunogenic peptide fragments of proteins in water solution. Sequence requirements for the formation of a reverse turn, 161
Folding of maltoporin with respect to the outer membrane, 493
Franco, R. J. & Drlica, K., DNA gyrase on the bacterial chromosome. Oxolinic acid-induced DNA cleavage in the *dnaA–gyrB* region, 229
Frank, J. (see also Carazo, J. M.), 393
Free energies, catalytic, in genetically modified proteins, 139
Fujisawa, H. (see also Donate, L. E.), 91
Fukamizu, A., Nishi, K., Cho, T., Saitoh, M., Nakayama, K., Ohkubo, H., Nakanishi, S. & Murakami, K., Structure of the rat renin gene, 443
Furuno, M. (see also Miki, T.), 327

Gahlmann, R., Wade, R., Gunning, P. & Kedes, L., Differential expression of slow and fast skeletal muscle

troponin C. Slow skeletal muscle troponin C is expressed in human fibroblasts, 379
α-D-Galactose-specific lectin from Jack fruit (*Artocarpus integra*) seeds, preliminary crystallographic study, 661
Gambacorta, A. (see also Gulik, A.), 429
Gehring, K. (see also Charbit, A.), 487
Gene conversion, intra-chromosomal, induced by a DNA double-strand break in *Saccharomyces cerevisiae*, 247
Gene, glue, *Sgs-3*, of *Drosophila*; evolution and expression, 273
Gene, *groES (mopB)*, of the host bacteria, and control of cell division by sex factor F in *Escherichia coli*, 327
Gene hTM_{nm} organization; implications for the evolution of muscle and non-muscle tropomyosins, 507
Gene, renin, rat; structure, 443
Gene *32* T4 mRNA, autogenou regulatory site, 517
Genes, phosphoglycerate kinase, in *Trypanosoma brucei*, post-transcriptional control of the differential expression, 315
Genetically modified proteins, evaluation of catalytic free energies, 139
Gibson, W. C., Swinkels, W. B. & Borst, P., Post-transcriptional control of the differential expression of phosphoglycerate kinase genes in *Trypanosoma brucei*, 315
Giege, R. (see also Ruff, M.), 235
Glue gene, *Sgs-3*, of *Drosophila*; evolution and expression, 273
Glycoprotein B of herpes simplex virus type 1, functional regions and structural features; analysis of linker insertion mutants, 575
Gold, L. (see also McPheeters, D. S.), 517
Goldanskii, V. I., Kashirin, A. I., Shishkov, A. V., Baratova, L. A. & Grebenshchikov, N. I., The use of thermally activated tritium atoms for structural-biological investigations: the topography of the TMV protein-accessible surface of the virus, 567
Grebenshchikov, N. I. (see also Goldanskii, V. I.), 567
Griffith, J. D. (see also Thresher, R. J.), 101
groES (mopB) gene of the host bacteria, and control of cell division by sex factor F in *Escherichia coli*, 327
Gu, B. (see also Cai, W.), 575
Gulik, A., Luzzati, V., Derosa, M. & Gambacorta, A., Tetraether lipid components from a thermoacidophilic archaebacterium. Chemical structure and physical polymorphism, 429
Gunning, P. (see also Gahlmann, R.), 379

Hakoshima, T. & Tomita, K., Crystallization and preliminary X-ray investigation reveals that tumor necrosis factor is a compact trimer furnished with 3-fold symmetry, 455
Hall, T. C. (see also Dreher, T. W.), 31, 41
Hampsey, D. M., Ernst, J. F., Stewart, J. W. & Sherman, F., Multiple base-pair mutations in yeast, 471
Harberd, N. P. (see also Barker, R. F.), 1
Hare, D. R. (see also Nerdal, W.), 717
Hare, D. R. (see also Pardi, A.), 625
Harris, M. P. G. & Hay, R. T., DNA sequences required for the initiation of adenovirus type 4 DNA replication *in vitro*, 57
Hay, R. T. (see also Harris, M. P. G.), 57
Hayes, R. C., Petrullo, L. A., Huang, H., Wallace, S. S. & LeClerc, J. E., Oxidative damage in DNA. Lack of mutagenicity by thymine glycol lesions, 239
Head–tail connecting regions, comparison of three-dimensional structures, 91
HeLa nuclei, chromosomal loop/nuclear matrix organization of transcriptionally active and inactive RNA polymerases, 545
Helix geometry in proteins, 601
Helix, nascent; folding of immunogenic peptide fragments of proteins in water solution, 201
Hemoglobin beta chain C terminus, allosteric energy studied by hydrogen exchange, 755
Hemoglobin beta chain C terminus; salt, phosphate and the Bohr effect studied by hydrogen exchange, 765
Herpes simplex virus type 1 (see also Virus), 575
Herranz, L. (see also Donate, L. E.), 91
Heumann, H., Lederer, H., Baer, G., May, R. P., Kjems, J. K. & Crespi, H. L., Spatial arrangement of DNA-dependent RNA polymerase of *Escherichia coli* and DNA in the specific complex. A neutron small angle scattering study, 115
Higashi, T. (see also Morikawa, K.), 237
Hoechst 33258, ^{125}I-labelled, in intact human cells; sequence specificity, 437
Hofnung, M. (see also Charbit, A.), 487
Hofnung, M. (see also Dargent, B.), 497
Hofnung, M. (see also Ferenci, T.), 493
Holliday junction associated with a cruciform, conformational isomerization during branch migration in supercoiled plasmid DNA, 19
Holliday junction resolution by a *Saccharomyces cerevisiae* endonuclease, the effect of DNA structure and nucleotide sequence, 69
Horiuchi, T. (see also Miki, T.), 327
Houghten, R. A. (see also Dyson, H. J.), 161, 201
hTM_{nm} gene organization; implications for the evolution of muscle and non-muscle tropomyosins, 507
Huang, H. (see also Hayes, R. C.), 239
Human cells, intact, sequence specificity of ^{125}I-labelled Hoechst, 33258, 437
Human c-Ha-*ras* protein, crystallization and preliminary crystallographic data of a truncated derivative, 237
Hwang, J.-K. (see also Warshel, A.), 139
Hydrogen bond acceptors, and aromatic rings, 751
Hydrogen exchange study of allosteric energy at the hemoglobin beta chain C terminus, 755
Hydrogen exchange study of salt, phosphate and the Bohr effect at the hemoglobin beta chain C terminus, 765
Hydrophobicity of the peptide C=O . . . H-N hydrogen-bonded group, 621

Imberty, A., Chanzy, H., Pérez, S., Buléon, A. & Tran, V., The double-helical nature of the crystalline part of A-starch, 365
Information redundancy in enhancers as a principle of mammalian transcription control, 81
Insect flight muscles, subfilament arrangement in the wall of tubular filaments, 557
Intergenic region in a ribosomal DNA repeat unit of wheat; structure and evolution, 1
Intra-chromosomal gene conversion induced by a DNA double-strand break in *Saccharomyces cerevisiae*, 247
Invertebrate myosin filament: subfilament arrangement in the wall of tubular filaments of insect flight muscles, 557
^{125}I-labelled Hoechst 33258 in intact human cells; sequence specificity, 437
Isomerization, conformational, of the Holliday junction associated with a cruciform during branch migration in supercoiled plasmid DNA, 19

Jack fruit seeds, preliminary crystallographic study of the α-D-galactose-specific lectin, 661
Jarvis, M. G. (see also Barker, R. F.), 1

Kägi, J. H. R. (see also Arseniev, A.), 637
Kaling, M. (see also Klein-Hitpab, L.), 537
Kashirin, I. A. (see also Goldanskii, V. I.), 567
Kedes, L. (see also Gahlmann, R.), 379
Kjems, J. K. (see also Heumann, H.), 115
Klein-Hitpab, L., Kaling, M. & Ryffel, G. U., Synergism of closely adjacent estrogen-responsive elements increases their regulatory potential, 537
Kolodkin, A. L. (see also Ray, A.), 247
Kolodner, R. (see also Evans, D. H.), 69

L7/L12-depleted 50 S *Escherichia coli* ribosomal subunits; three-dimensional structure, 393
Laamanen, I. (see also Liljeström, P.), 663
LeClerc, J. E. (see also Hayes, R. C.), 239
Lectin, α-D-galactose-specific, from Jack fruit (*Artocarpus integra*) seeds, preliminary crystallographic study, 661
Lederer, H. (see also Heumann, H.), 115
Leng, M. (see also Vogt, N.), 773
Lerner, R. A. (see also Dyson, H. J.), 161, 201
Levitt, M. & Perutz, M. F., Aromatic rings act as hydrogen bond acceptors, 751
Liljas, L. (see also Montelius, I.), 353

Liljeström, P., Laamanen, I. & Palva, E. T., Structure and expression of the *ompB* operon, the regulatory locus for the outer membrane porin regulon in *Salmonella typhimurium* LT-2, 663
Linker insertion mutants of the gB gene of HSV-1, 575
Lorber, B. (see also Ruf, M.), 235
Louie, G., Englander, J. J. & Englander, S. W., Salt, phosphate and the Bohr effect at the hemoglobin beta chain C terminus studied by hydrogen exchange, 765
Louie, G., Tran, T., Englander, J. J. & Englander, S. W., Allosteric energy at the hemoglobin beta chain C terminus studied by hydrogen exchange, 755
Lung surfactant protein SP 28–36, macromolecular organization; structural homology with the complement factor C1q, 219
Luzzati, V. (see also Gulik, A.), 429

McCall, M. J. (see also Calladine, C. R.), 127
McFadden, G. (see also Dickie, P.), 19
MacLeod, A. R. (see also Clayton, L.), 507
McPheeters, D. S., Stormo, G. D. & Gold, L., Autogenous regulatory site on the bacteriophage T4 gene *32* messenger RNA, 517
Maden, B. E. H., Locations of methyl groups in 28 S rRNA of *Xenopus laevis* and man. Clustering in the conserved core of molecule, 289
Malfoy, B. (see also Vogt, N.), 773
Mandiyan, V. (see also Carazo, J. M.), 393
Marrot, L. (see also Vogt, N.), 773
Martin, C. H., Mayeda, C. A. & Meyerowitz, E. M., Evolution and expression of the *Sgs-3* glue gene of *Drosophila*, 273
Martin, R. F. (see also Murray, V.), 437
Matsumoto, O. (see also Morikawa, K.), 237
May, R. P. (see also Heumann, H.), 115
Mayeda, C. A. (see also Martin, C. H.), 273
Messner, R. P. (see also Thomas, T. J.), 463
Meyer, E. F., Jr (see also Takahashi, L. H.), 423
Meyerowitz, E. M. (see also Martin, C. H.), 273
Miki, T., Orita, T., Furuno, M. & Horiuchi, T., Control of cell division by sex factor F in *Escherichia coli*. III. Participation of the *groES (mopB)* gene of the host bacteria, 327
Mikol, V. (see also Ruff, M.), 235
Mitschler, A. (see also Ruff, M.), 235
Miura, K. (see also Morikawa, K.), 237
Montelius, I., Liljas, L. & Unge, T., Structure of EDTA-treated satellite tobacco necrosis virus at pH 6·5, 353
Moras, D. (see also Ruff, M.), 235
Morgan, A. R. (see also Dickie, P.), 19
Morikawa, K., Tsujimoto, M., Higashi, T., Matsumoto, O., Miura, K., Ohtsuka, E., Noguchi, S. & Nishimura, S., Crystallization and preliminary crystallographic data of a truncated derivative from the human c-Ha-*ras* protein, 237
Morrison, R. D. (see also Pardi, A.), 625
Murakami, K. (see also Fukamizu, A.), 443
Murgola, E. J. (see also Toth, M. J.), 451
Murray, V. & Martin, R. F., Sequence specificity of ^{125}I-labelled Hoechst 33258 in intact human cells, 437
Maltoporin folding with respect to the outer membrane, 493
Maltoporin, maltose transport and starch binding in phage-resistant point mutants; functional and topological implications, 487
Maltoporin, a protein of *Escherichia coli* outer membrane, effect of point mutations on the *in-vitro* pore properties, 497
Maltose transport and starch binding in phage-resistant point mutations of maltoporin. Functional and topological implications, 487
Mammalian transcription control, and the principle of redundancy of information in enhancers, 81
Man and *Xenopus laevis*, locations of methyl groups in 28 S rRNA; clustering in the conserved core of molecule, 289
Messenger RNA, T4 gene *32*, autogenous regulatory site, 517
Methyl groups, locations in 28 S rRNA of *Xenopus laevis* and man; clustering in the conserved core of molecule, 289
Minus strand promoter activity, mutational analysis of the sequence and structural requirements in brome mosaic virus RNA, 31
Mouse pancreatic ribonuclease; crystallization, 659
Müller-Baden, B. (see also Schaffner, G.), 81
Muscles, flight, insect, subfilament arrangement in the wall of tubular filaments, 557
Muscle and non-muscle tropomyosins, evolution, implications of hTM_{nm} gene organization, 507
Muscle, skeletal, slow and fast, differential expression of troponin C; slow skeletal muscle troponin C is expressed in human fibroblasts, 379
Mutagenicity by thymine glycol lesions, and oxidative damage in DNA, 239
Mutants, point, phage-resistent, of maltoporin; maltose transport and starch binding; functional and topological implications, 487
Mutational analysis of the sequence and structural requirements in brome mosaic virus RNA for minus strand promoter activity, 31
Mutational analysis of the tRNA mimicry of brome mosaic virus RNA. Sequence and structural requirements for aminoacylation and 3′-adenylation, 41
Mutations, multiple base-pair, in yeast, 471
Mutations, point, effect on the *in-vitro* pore properties of maltoporin, a protein of *Escherichia coli* outer membrane, 497
Myosin filaments; arrangement of subfilaments in the wall of tubular filaments of insect flight muscle, 557

Nakabeppu, Y. (see also Takano, K.), 261
Nakanishi, S. (see also Fukamizu, A.), 443
Nakayama, K. (see also Fukamizu, A.), 443
Nerdal, W., Hare, D. R. & Reid, B. R., Three-dimensional structure of the *wild-type lac* Pribnow promoter DNA in solution. Two-dimensional nuclear magnetic resonance studies and distance geometry calculations, 717
Neutron diffraction analysis of solvent and ion density; solvent effect in protein crystals, 741
Neutron small angle scattering study of the spatial arrangement of DNA-dependent RNA polymerase of *Escherichia coli* and DNA in the specific complex, 115
Neutrophil defensin, rabbit, NP-5, solution structures, 625
New, J. H., Eggleston, A. K. & Fennewald, M., Binding of the Tn*3* transposase to the inverted repeats of TN*3*, 589
Nikaido, H. (see also Charbit, A.), 487
Nishi, K. (see also Fukamizu, A.), 443
Nishimura, S. (see also Morikawa, K.), 237
Noguchi, S. (see also Morikawa, K.), 237
Noller, H. F. (see also Powers, T.), 697
Noller, H. F. (see also Stern, S.), 683
Nuclear magnetic resonance studies, two-dimensional and distance geometry calculations; three-dimensional structure of the *wild-type lac* Pribnow promoter DNA in solution, 717

Ohkubo, H. (see also Fkamizu, A.), 443
Ohtsuka, E. (see also Morikawa, K.), 237
ompB operon of *Salmonella typhimurium*; structure and expression, 663
Organization of the hTM_{nm} gene. Implications for the evolution of muscle and non-muscle tropomyosins, 507
Orita, T. (see also Miki, T.), 327
Outer membrane, and folding of maltoporin, 493
Outer membrane porin region in *Salmonella typhimurium* LT-2, structure and expression of the *ompB* operon, 663
Outer membrane protein, maltoporin, of *Escherichia coli*, effect of point mutations on the *in-vitro* pore properties, 497
Oxidative damage in DNA. Lack of mutagenicity by thymine glycol lesions, 239
Oxolinic acid-induced DNA cleavage in the *dnaA–gyrB* region; DNA gyrase on the bacterial chromosome, 229

Palmer, R. A. (see also Perry, A. L.), 659
Palva, E. T. (see also Liljeström, P.), 663
Pancreatic ribonuclease, mouse; crystallization, 659
Pardi, A., Hare, D. R., Selsted, M. E., Morrison, R. D., Bassolino, D. A. & Bach, II, A. C., Solution structures of the rabbit neutrophil defensin NP-5, 625
Parks, E. H. (see also Basu, D.), 661
Pattus, F. (see also Dargent, B.), 497
Pepe, F. A. (see also Beinbrech, G.), 557

Peptide C=O...H-N hydrogen-bonded group, hydrophobicity, 621
Peptides, linear, in water solution; the nascent helix, 201
Peptides, linear, in water solution; sequence requirements for formation of a reverse turn, 161
Peptidyl trifluoromethylketone inhibition of porcine pancreatic elastase, X-ray diffraction analysis, 423
Pérez, S. (see also Imberty, A.), 365
Perry, A. L. & Palmer, R. A., Crystallization of mouse pancreatic ribonuclease, 659
Person, S. (see also Cai, W.), 575
Perutz, M. F., Fermi, G., Fogg, J. & Rahbar, S., Indirect allosteric effects of a neutral mutation. Structure of deoxyhaemoglobin North Chicago (ProC2(36)β→Ser), 459
Perutz, M. F. (see also Levitt, M.), 751
Petrullo, L. A. (see also Hayes, R. C.), 239
Phage-resistant point mutants of maltoporin, maltose transport and starch binding; functional and topological implications, 487
Phosphate and the Bohr effect at the hemoglobin beta chain C terminus studied by hydrogen exchange, 765
Phosphate, inorganic, effect on length redistribution of sheared actin filament populations; evidence for a mechanism of end-to-end annealing, 675
Phosphoglycerate kinase genes in *Trypanosoma brucei*, post-transcriptional control of the differential expression, 315
Plasmid DNA, supercoiled, and conformational isomerization of the Holliday junction associated with a cruciform during branch migration, 19
Plasmid, 2μ, yeast; DNA recognition by the FLP recombinase; a mutational analysis of the FLP binding site, 405
Polyamines, structural specificity in left-handed *Z*-DNA formation; immunological and spectroscopic studies, 463
Polymorphism, physical, of tetraether lipid components from a thermoacidophilic archaebacterium, 429
Porcine pancreatic elastase inhibition by a peptidyl trifluoromethylketone, X-ray diffraction analysis, 423
Pore properties, *in vitro*, of maltoporin, a protein of *Escherichia coli* outer membrane, effect of point mutations, 497
Post-transcriptional control of the differential expression of phosphoglycerate kinase genesin *Trypanosoma brucei*, 315
Powers, T., Stern, S., Changchien, L.-M. & Noller, H. F., Probing the assembly of the 3′ major domain of 16 S rRNA. Interactions involving ribosomal proteins S2, S3, S10, S13 and S14, 697
Powers, T.(see also Stern, S.), 683
Presynaptic filaments, assembly; factors affecting the assembly of RecA protein onto single-stranded DNA, 101
Pribnow promoter, *wild-type lac*, DNA in solution, three-dimensional structure; two-dimensional n.m.r. studies and distance geometry calculations, 717
Protein crystals, solvent effect; a neutron diffraction analysis of solvent and ion density, 741
Proteins, folding of immunogenic peptide fragments in water solution; the nascent helix, 201
Proteins, folding of immunogenic peptide fragments in water solution; sequence requirements for reverse turn formation, 161
Proteins, genetically modified, evaluation of catalytic free energies, 139
Proteins, helix geometry, 601

Rabbit liver [Cd_7]metallothionein-2a in aqueous solution, three-dimensional structure determined by n.m.r., 637
Rabbit neutrophil defensin NP-5, solution structures, 625
Radermacher, M. (see also Carazo, J. M.), 393
Radhakrishnan, R. (see also Takahahi, L. H.), 423
Rahbar, S. (see also Perutz, M. F.), 459
Rance, M. (see also Dyson, H. J.), 161, 201
Rat renin gene structure, 443
Ray, A., Siddiqi, I., Kolodkin, A. L. & Stahl, F. W., Intra-chromosomal gene conversion induced by a DNA double-strand break in *Saccharomyces cerevsiae*, 247
RecA protein assembly onto single-stranded DNA, 101
Regulatory potential is increased by synergism of closely adjacent estrogen-responsive elements, 537
Regulatory site on the bacteriophage T4 gene *32* mRNA, 517
Reid, B. R. (see also Nerdal, W.), 717
Reinach, F. C. (see also Clayton, L.), 507
Renin gene, rat, structure, 443
Replication, adenovirus type 4 DNA, the DNA sequences required for initiation *in vitro*, 57
RNA, brome mosaic virus, mutational analysis of the sequence and structural requirements for minus strand promoter activity, 31
RNA, brome mosaic virus, mutational analysis of the tRNA mimicry; sequence and structural requirements for aminoacylation and 3′-adenylation, 41
RNA polymerase, DNA-dependent, of *Escherichia coli*, and DNA, spatial arrangement in the specific complex, a neutron small angle scattering study, 115
RNA polymerases, transcriptionally active and inactive, chromosomal loop/nuclear matrix organization in HeLa nuclei, 545
RNA, 16 S ribosomal, interaction with ribosomal proteins S2, S3, S10, S13 and S14, 697
RNA, 16 S ribosomal, interaction with ribosomal proteins S5, S6, S11, S12, S18 and S21, 683
RNA, ribosomal, 28 S, of *Xenopus laevis* and man, locations of methyl groups; clustering in the conserved core of molecule, 289
Ribosomal DNA repeat unit of wheat, structure and evolution of the intergenic region, 1
Ribosomal proteins S2, S3, S10, S13 and S14, interaction with 16 S rRNA, 697
Ribosomal proteins S5, S6, S11, S12, S18 and S21, interaction with 16 S rRNA, 683
Ribosomal 50 S subunits, *Escherichia coli*, depleted of proteins L7/L12; three-dimensional structure, 393
Ribosomal RNA, 28 S, of *Xenopus laevis* and man, locations of methyl groups; clustering in the conserved core of molecule, 289
Rickard, J. E. & Sheterline, P., Effect of ATP removal and inorganic phosphate on length redistribution of sheared actin filament populations. Evidence for a mechanism of end-to-end annealing, 675
Roberge, M., Dahmus, M. E. & Bradbury, E. M., Chromosomal loop/nuclear matrix organization of transcriptionally active and inactive RNA polymerases in HeLa nuclei, 545
Roseman, M. A., Hydrophobicity of the peptide C=O...H-N hydrogen-bonded group, 621
Rosenfeld, R. E., Jr (see also Takahashi, L. H.), 423
Ross, P. M. & Yu, H.-S., Interstrand crosslinks due to 4,5′,8-trimethylpsoralen and near ultraviolet light in specific sequences of animal DNA. Effect of constitutive chromatin structure and of induced transcription, 339
Rossmeissl, P. J. (see also Senecoff, J. F.), 405
Rousseau, N. (see also Vogt, N.), 773
Ruff, M., Cavarelli, J., Mikol, V., Lorber, B., Mitschler, A., Giege, R., Thierry, J. C. & Moras, D., A high resolution diffracting crystal form of the complex between yeast $tRNA^{Asp}$ and aspartyl-tRNA synthetase, 235
Ryffel, G. U. (see also Klein-Hitpass, L.), 537

S2, S3, S10, S13 and S14 ribosomal proteins, interaction with 16 S rRNA, 683
S5, S6, S11, S18 and S21 ribosomal proteins, interaction with 16 S rRNA, 683
Saccharomyces cerevisiae endonuclease and Holliday junction resolution, the effect of DNA structure and nucleotide sequence, 69
Saccharomyces cerevisiae, intra-chromosomal gene conversion induced by a DNA double-strand break, 247
Saitoh, M. (see also Fukamizu, A.), 443
Salmonella typhimurium LT-2, structure and expression of the *ompB* operon, the regulatory locus for the outer membrane porin regulon, 663
Salt, phosphate and the Bohr effect at the hemoglobin beta chain C terminus studied by hydrogen exchange, 765
Satellite tobacco necrosis virus (see also Virus), 353
Saurin, W. (see also Ferenci, T.), 493
Schäfer, K. P. (see also Voss, T.), 219

Schaffner, G., Schirm, S., Müller-Baden, B., Weber, F. & Schaffner, W., Redundancy of information in enhancers as a principle of mammalian transcription control, 81
Schaffner, W. (see also Schaffner, G.), 81
Schimmel, P. (see also Toth, M. J.), 451
Schirm, S. (see also Schaffner, G.), 81
Schoenborn, B. P., Solvent effect in protein crystals. A neutron diffraction analysis of solvent and ion density, 741
Schultze, P. (see also Arseniev, A.), 637
Secilla, J. P. (see also Donate, L. E.), 91
Sekiguchi, M. (see also Takano, K.), 261
Selsted, M. E. (see also Pardi, A.), 625
Senecoff, J. F., Rossmeissl, P. J. & Cox, M. M., DNA recognition by the FLP recombinase of the yeast 2μ plasmid. A mutational analysis of the FLP binding site, 405
Sequences, DNA, required for the initiation of adenovirus type 4 DNA replication *in vitro*, 57
Sequence, nucleotide, effect on Holliday junction resolution by a *Saccharomyces cerevisiae* endonuclease, 69
Sequence requirements for reverse turn formation; folding of immunogenic peptide fragments of proteins in water solution, 161
Sequence specificity of ^{125}I-labelled Hoechst 33258 in intact human cells, 437
Sequence and structural requirements for aminoacylation and 3′-adenylation; mutational analysis of the tRNA mimicry of brome mosaic virus RNA, 41
Sequence and structural requirements in brome mosaic virus RNA for minus strand promoter activity, mutational analysis, 31
Sex factor F control of cell division in *Escherichia coli*; participation of the *groES (mopB)* gene of the host bacteria, 327
Sgs-3 glue gene of *Drosophila*, evolution and expression, 273
Sherman, F. (see also Hampsey, D. M.), 471
Sheterline, P. (see also Rickard, J. E.), 675
Shishkov, A. V. (see also Goldanskii, V. I.), 57
Siddiqi, I. (see also Ray, A.), 247
Solvent effect in protein crystals. A neutron diffraction analysis of solvent and ion density, 741
Spatial arrangement of DNA-dependent RNA polymerase of *Escherichia coli* and DNA in the specific complex. A neutron small angle scattering study, 115
Stahl, F. W. (see also Ray, A.), 247
Starch binding and maltose transport in phage-resistant point mutants of maltoporin; functional and topological implications, 487
A-Starch, the double-helical nature of the crystalline part, 365
Stein, M. (see also Takahashi, L. H.), 423
Stern, S., Powers, T., Changchien, L.-M. & Noller, H. F., Interaction of ribosomal proteins S5, S6, S11, S12, S18 and S21 with 16 S rRNA, 683
Stern, S. (see also Powers, T.), 697
Stewart, J. W. (see also Hampsey, D. M.), 471
Stormo, G. D. (see also McPheeters, D. S.), 517
Structural features of the gB glycoprotein of herpes simplex virus type 1. Analysis of linker insertion mutants, 57
Structural specificity of polyamines in left-handed *Z*-DNA formation. Immunological and spectroscopic studies, 463
Structural-biological investigations, the use of thermally activated tritium atoms; the topography of the TMV protein-accessible surface of the virus, 567
Structure, chemical, of tetraether lipid components from a thermoacidophilic archaebacterium, 429
Structure of deoxyhaemoglobin North Chicago (ProC2(36)β→Ser), 459
Structure, DNA, effect on Holliday junction resolution by a *Saccharomyces cerevisiae* endonuclease, 69
Structure of EDTA-treated satellite tobacco necrosis virus at pH 6·5, 353
Structure and evolution of the intergenic region in a ribosomal DNA repeat unit of wheat, 1
Structure and expression of the *ompB* operon, the regulatory locus for the outer membrane porin region in *Salmonella typhimurium* LT-2, 663
Structure, macromolecular, of natural and recombinant lung surfactant protein SP 28–36; structural homology with the complement factor C1q, 219
Structure of the rat renin gene, 443
Structures, solution, of the rabbit neutrophil defensin NP-5, 625
Structure, three-dimensional, of bacteriophage T3 connector; comparison with other viral head-tail connecting regions, 91
Structure, three-dimensional, of 50 S *Escherichia coli* ribosomal subunits depleted of proteins L7/L12, 393
Structure, three-dimensional, of rabbit liver [Cd_7]metallothionein-2a in aqueous solution determined by n.m.r., 637
Structure, three-dimensional, of the *wild-type lac* Pribnow promoter DNA in solution. Two-dimensional n.m.r. studies and distance geometry calculations, 717
Subfilament arrangement in the wall of tubular filaments of insect flight muscles, 557
Suddath, F. L. (see also Basu, D.), 661
Supercoiled plasmid DNA, conformational isomerization of the Holliday junction associated with a cruciform during branch migration, 19
Sussman, F. (see also Warshel, A.), 139
Swinkels, W. B. (see also Gibson, W. C.), 315
Synergism of closely adjacent estrogen-responsive elements increases their regulatory potential, 537

T3 (see also Bacteriophage), 91
T4 (see also Bacteriophage), 517
Takahashi, L. H., Radhakrishnan, R., Rosenfeld, R. E., Jr, Meyer, E. F., Jr, Trainor, D. A. & Stein, M., X-ray diffraction analysis of the inhibition of porcine pancreatic elastase by a peptidyl trifluoromethylketone, 423
Takano, K., Nakabeppu, Y. & Sekiguchi, M., Functional sites of the Ada regulatory protein of *Escherichia coli*. Analysis by amino acid substitutions, 261
Tetraether lipid components from a thermoacidophilic archaebacterium. Chemical structure and physical polymorphism, 429
Thermally activated tritium atoms in structural-biological investigations. The topography of the TMV protein-accessible surface of the virus, 567
Thermoacidophilic archaebacterium, chemical structure and physical polymorphism of tetraether lipid components, 429
Thierry, J. C. (see also Ruff, M.), 235
Thomas, T. J. & Messner, R. P., Structural specificity of polyamines in left-handed *Z*-DNA formation. Immunological and spectroscopic studies, 463
Thornton, J. M. (see also Barlow, D. J.), 601
3′-adenylation, sequence and structural requirements; mutational analysis of the tRNA mimicry of brome mosaic virus RNA, 41
Thresher, R. J., Christiansen, G. & Griffith, J. D., Assembly of presynaptic filaments. Factors affecting the assembly of RecA protein onto single-stranded DNA, 101
Thymine glycol lesions, lack of mutagenicity; oxidative damage in DNA, 239
TMV protein-accessible surface of the virus, topography; the use of thermally activated tritium atoms for structural-biological investigations, 567
Tn*3* transposase binding to the inverted repeats of Tn*3*, 589
Tomita, K. (see also Hakoshima, T.), 455
Toth, M. J., Murgola, E. J. & Schimmel, P., Evidence for a unique first position codon–anticodon mismatch *in vivo*, 451
Trainor, D. A. (see also Takahashi, L. H.), 423
Tran, T. (see also Louie, G.), 755
Tran, V. (see also Imberty, A.), 365
Transcription control, mammalian, and the principle of redundancy of information in enhancers, 81
tRNA mimicry of brome mosaic virus RNA, mutational analysis; sequence and structural requirements for aminoacylation and 3′-adenylation, 41
$tRNA^{Asp}$, yeast, complex with aspartyl-tRNA synthetase, a high resolution diffracting crystal form, 235
4,5′,8-Trimethylpsoralen and near ultraviolet light, and interstrand crosslinks in specific sequences of animal DNA; effect of constitutive chromatin structure and of induced transcription, 339
Tritium atoms, thermally activated, in structural-biological investigations. The topography of the TMV protein-accessible surface of the virus, 567
Tropomyosins, evolution, implications of the organization of the HTM_{nm} gene, 507

Troponin C, slow and fast skeletal muscle, differential expression; slow skeletal muscle troponin C is expressed in human fibroblasts, 379
Trypanosoma brucei, post-transcriptional control of the differential expression of phosphoglycerate kinase genes, 315
Tsujimoto, M. (see also Morikawa, K.), 237
Tumor necrosis factor, crystallization and preliminary X-ray study reveals a compact trimer with 3-fold symmetry, 455

Ultraviolet light and 4,5′,8-trimethylpsoralen, and interstrand crosslinks in specific sequences of animal DNA; effect of chromatin structure and of induced transcription, 339
Unge, T. (see also Montelius, I.), 353

Vašák, M. (see also Arseniev, A.), 637
Virus, brome mosaic, RNA, mutational analysis of the sequence and structural requirements for minus strand promoter activity, 31
Virus, brome mosaic, RNA, mutational analysis of the tRNA mimicry; sequence and structural requirements for aminoacylation and 3′-adenylation, 41
Virus, herpes simplex type 1, functional regions and structural features of the gB glycoprotein; analysis of linker insertion mutants, 575
Virus, satellite tobacco necrosis, EDTA-treated, structure at pH 6·5, 353
Virus, topography of the TMV protein-accessible surface; the use of thermally activated tritium atoms for structural-biological investigations, 567
Vogt, N., Marrot, L., Rousseau, N., Malfoy, B. & Leng, M., Chloroacetaldehyde reacts with *Z*-DNA, 773
Voss, T., Eistetter, H., Schäfer, K. P. & Engel, J., Macromolecular organization of natural and recombinant lung surfactant protein SP 28–36. Structural homology with the complement factor Clq, 219

Wade, R. (see also Gahlmann, R.), 379
Wagenknecht, T. (see also Carazo, J. M.), 393
Wagner, G. (see also Arseniev, A.), 637
Wallace, S. S. (see also Hayes, R. C.), 239
Warshel, A., Sussman, F. & Hwang, J.-K., Evaluation of catalytic free energies in genetically modified proteins, 139
Weber, F. (see also Schaffner, G.), 81
Wheat, structure and evolution of the intergenic region in a ribosomal DNA repeat unit, 1
wild-type lac Pribnow promoter DNA in solution, three-dimensional structure; two-dimensional n.m.r. studies and distance geometry calculations, 717
Wörgötter, E. (see also Arseniev, A.), 637
Wright, P. E. (see also Dyson, H. J.), 161, 201
Wüthrich, K. (see also Arseniev, A.), 637

Xenopus laevis and man, locations of methyl groups in 28 S rRNA; clustering in the conserved core of molecule, 289
X-ray diffraction analysis of the inhibition of porcine pancreatic elastase by a peptidyl trifluoromethylketone, 423
X-ray study, preliminary, reveals that tumor necrosis factor is a compact trimer with 3-fold smmetry, 455

Yeast 2μ plasmid, DNA recognition by the FLP recombinase; a mutational analysis of the FLP binding site, 405
Yeast, multiple base-pair mutations, 471
Yeast $tRNA^{Asp}$ complex with aspartyl-tRNA synthetase, a high resolution diffracting crystal form, 235
Yu, H.-S. (see also Ross, P. M.,), 339